




KAINUI RANGES

- ... A hill country sheep and beef farm in Onewhero.
- ... 310Ha effective, split fairly evenly either side of Ponganui Road.
- ... The Opuatia Stream flows through the North half of the farm.
- ... The Poporo Stream flows through the South half of the farm, joining the Opuatia Stream further down Ponganui Road.
- ... The streams are home to shortfin eels and freshwater mussels.
- ... We use the Opuatia Stream for recreational purposes (camping and swimming).





Opuatia Stream



Opuatia Stream



Opuatia Stream



Swimming in the Opuatia Stream



Swimming in the Opuatia Stream



Shortfin eel in the Opuatia Stream



Camping by the Opuatia Stream



Camping by the Opuatia Stream



Opuatia Stream



Poporo Stream tributary



Poporo Stream




Hills above the Poporo Stream



KAINUI RANGES

- ... High risk of erosion across the farm.
- ... The water clarity of the streams will be impacted by sediment coming from eroding mudstone, siltstone and sandstone hills.
- ... Shallow slips are common features.
- ... Large number of tomos and underground streams.
- ... Severe weather events, like Cyclone Debbie in April 2017, can have devastating effects.





Opuatia Stream





Opuatia Stream



Opuatia Stream



New tomo, Opuatia Stream



Opuatia Stream



Opuatia Stream



Opuatia Stream



Opuatia Stream



Hills above Opuatia Stream Tributary



Opuatia Stream tributary



Poporo Stream tributary



Poporo Stream



Hills above the Poporo Stream



Poporo Stream flood debris



Poporo Stream flood debris



Poporo Stream and tributary



Poporo Stream



Hills above the Poporo Stream tributary



Poporo Stream tributary



Hills above the Poporo Stream



Hills above the Poporo Stream




Poporo Stream flood debris



Koi carp, Opuatia Stream

Koi carp feeding, Opuatia Stream





Vetiver Grass

